BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents *will not* correct images, please do not report the images to the Image Problem Mailbox.

MF **C4 H5 N S2**
CI COM
LC STN Files: BEILSTEIN*, CA, CAOLD, CAPLUS, CASREACT, CHEMCATS, CHEMLIST, HODOC*, IFICDB, IFIPAT, IFIUDB, TOXLINE, TOXLIT, USPATFULL
(*File contains numerically searchable property data)
Other Sources: EINECS**, NDSL**, TSCA**
(**Enter CHEMLIST File for up-to-date regulatory information)



65 REFERENCES IN FILE CA (1967 TO DATE)
65 REFERENCES IN FILE CAPLUS (1967 TO DATE)
3 REFERENCES IN FILE CAOLD (PRIOR TO 1967)

=> s 52829-72-8/rn

L5 1 52829-72-8/RN

=> file caplu

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	22.45	22.60

FILE 'CAPLUS' ENTERED AT 07:59:38 ON 21 JUN 1999

FILE COVERS 1967 - 21 Jun 1999 VOL 130 ISS 26
FILE LAST UPDATED: 21 Jun 1999 (19990621/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

This file supports REGISTRY for direct browsing and searching of all substance data from the REGISTRY file. Enter HELP FIRST for more information.

=> s l5

L6 8 L5

=> d 1-8 iall

L6 ANSWER 1 OF 8 CAPLUS COPYRIGHT 1999 ACS
ACCESSION NUMBER: 1997:518308 CAPLUS
DOCUMENT NUMBER: 127:121718
TITLE: Preparation of 2-chloro-5-chloromethylthiazole.
INVENTOR(S): Kraatz, Udo
PATENT ASSIGNEE(S): Bayer A.-G., Germany
SOURCE: Eur. Pat. Appl., 4 pp.

CODEN: EPXXDW
DOCUMENT TYPE: Patent
LANGUAGE: German
INT. PATENT CLASSIF.:
MAIN: C07D277-32
SECONDARY: C07D277-36
CLASSIFICATION: 28-7 (Heterocyclic Compounds (More Than One Hetero Atom))
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 780384	A2	19970625	EP 96-119776	19961210
EP 780384	A3	19970709		
R: BE, CH, DE, ES, FR, GB, IT, LI, NL				
DE 19548417	A1	19970626	DE 95-19548417	19951222
US 5679796	A	19971021	US 96-764952	19961213
JP 09176140	A2	19970708	JP 96-353342	19961217
CN 1157284	A	19970820	CN 96-117934	19961220
PRIORITY APPLN. INFO.:			DE 95-19548417	19951222

OTHER SOURCE(S): CASREACT 127:121718
ABSTRACT:
Title compd. (I) was prepd. by treatment of 5-methylene-1,3-thiazolidine-2-thione (II) and N-alkylcarbonyl- or N-benzoyl derivs. thereof with a chlorinating agent optionally in the presence of a diluent. Thus, II in CHCl3 at -10.degree. was treated with Cl to give 92.8% I of 87% purity.

SUPPL. TERM: chloromethylthiazole chloro prepn; methylenethiazolidinethione chlorination
INDEX TERM: Chlorination
(chlorination of 5-methylene-1,3-thiazolidine-2-thione and derivs; prepn. of 2-chloro-5-chloromethylthiazole)
INDEX TERM: 105827-91-6P, 2-Chloro-5-chloromethylthiazole
ROLE: IMF (Industrial manufacture); SPN (Synthetic preparation); PREP (Preparation)
(prepn. of 2-chloro-5-chloromethylthiazole)
INDEX TERM: **52829-72-8** 95927-24-5
ROLE: RCT (Reactant)
(prepn. of 2-chloro-5-chloromethylthiazole)

L6 ANSWER 2 OF 8 CAPLUS COPYRIGHT 1999 ACS
ACCESSION NUMBER: 1997:506647 CAPLUS
DOCUMENT NUMBER: 127:121721
TITLE: Preparation of 2-chloro-5-chloromethylthiazole
INVENTOR(S): O'sullivan, Anthony Cornelius; Gsell, Laurenz; Naef, Rufolf; Senn, Marcel; Pitterna, Thomas; Wadsworth, David John
PATENT ASSIGNEE(S): Novartis Ag, Switz.; O'sullivan, Anthony Cornelius; Gsell, Laurenz; Naef, Rufolf; Senn, Marcel; Pitterna, Thomas; Wadsworth, David John
SOURCE: PCT Int. Appl., 31 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
INT. PATENT CLASSIF.:
MAIN: C07D277-32
SECONDARY: C07C333-20; C07C333-30
CLASSIFICATION: 28-7 (Heterocyclic Compounds (More Than One Hetero Atom))
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE

L6 ANSWER 4 OF 8 CAPLUS COPYRIGHT 1999 ACS
ACCESSION NUMBER: 1997:81466 CAPLUS
DOCUMENT NUMBER: 126:157459
TITLE: Iminium carbonic acid derivative salts. IX. Synthesis of N,S-containing heterobicycles from N-protected 2-methylthio-1,3-thiazinium and 2-methylthiothiazolium salts. Part 1. Preparation of N-protected 2-methylthio-1,3-thiazinium and 2-methylthiothiazolium salts and their reaction with CH-acidic compounds
AUTHOR(S): Hanefeld, Wolfgang; Naeeni, Mahmoud; Schlitzer, Martin
CORPORATE SOURCE: Inst. Pharmazeutische Chem., Marburg/Lahn, D-35037, Germany
SOURCE: J. Heterocycl. Chem. (1996), 33(6), 1785-1790
CODEN: JHTCAD; ISSN: 0022-152X
PUBLISHER: HeteroCorporation
DOCUMENT TYPE: Journal
LANGUAGE: English
CLASSIFICATION: 28-14 (Heterocyclic Compounds (More Than One Hetero Atom))

ABSTRACT:
N-Boc-protected 1,3-thiazine-2-thiones and thiazolidin-2-thiones were transformed into the corresponding 2-methylthio-1,3-thiazinium and 2-methylthiothiazolium salts by Me iodide or trimethyloxonium tetrafluoroborate. These activated species were reacted with CH-acidic compds.
forming ketene-N,S-acetals. The protection group was removed with trifluoroacetic acid to yield the N-unsubstituted ketene-N,S-acetals.

SUPPL. TERM: thiazinium methylthio reaction active methylene compd; active methylene compd reaction thiazinium thiazolium; thiazolium methylthio reaction active methylene compd; ketene acetal prepn

INDEX TERM: Carbon acids
ROLE: RCT (Reactant)
(prepn. of N-protected (methylthio)thiazinium and (methylthio)thiazolium salts and their reaction with CH-acidic compds.)

INDEX TERM: 10099-74-8, Lead dinitrate
ROLE: CAT (Catalyst use); USES (Uses)
(prepn. of N-protected (methylthio)thiazinium and (methylthio)thiazolium salts and their reaction with CH-acidic compds.)

INDEX TERM: 90-44-8, Anthrone 96-53-7, 2-Thiazolidinethione 109-77-3, Dicyanomethane 149-30-4, 2(3H)-Benzothiazolethione 555-21-5 614-16-4 769-42-6 3759-28-2 5445-26-1 5554-48-3 7605-28-9 17374-18-4 **52829-72-8**
ROLE: RCT (Reactant)
(prepn. of N-protected (methylthio)thiazinium and (methylthio)thiazolium salts and their reaction with CH-acidic compds.)

INDEX TERM: 74179-12-7P 187035-30-9P 187035-31-0P 187035-38-7P 187035-43-4P 187035-44-5P 187035-46-7P 187035-49-0P
ROLE: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation)
(prepn. of N-protected (methylthio)thiazinium and (methylthio)thiazolium salts and their reaction with CH-acidic compds.)

INDEX TERM: 187035-32-1P 187035-33-2P 187035-41-2P 187035-48-9P 187035-50-3P 187035-51-4P 187035-53-6P 187035-54-7P 187035-55-8P 187035-56-9P 187035-57-0P 187035-58-1P

187035-59-2P 187035-60-5P 187035-61-6P
ROLE: SPN (Synthetic preparation); PREP (Preparation)
(prepn. of N-protected (methylthio)thiazinium and (methylthio)thiazolium salts and their reaction with CH-acidic compds.)

L6 ANSWER 5 OF 8 CAPLUS COPYRIGHT 1999 ACS
ACCESSION NUMBER: 1992:194203 CAPLUS
DOCUMENT NUMBER: 116:194203
TITLE: Carbazoylations and thiocarbazoylations of 2-thioxothiazolidines
AUTHOR(S): Hanefeld, Wolfgang; Von Goesseln, Hans Joachim
CORPORATE SOURCE: Inst. Pharm. Chem., Philipps-Univ., Marburg, D-3550, Germany
SOURCE: Arch. Pharm. (Weinheim, Ger.) (1992), 325(3), 173-5
CODEN: ARPMAS; ISSN: 0365-6233
DOCUMENT TYPE: Journal
LANGUAGE: German
CLASSIFICATION: 28-7 (Heterocyclic Compounds (More Than One Hetero Atom))
GRAPHIC IMAGE: For diagram(s), see printed CA Issue.
ABSTRACT:
Reactions of thiazolidine-2-thione with RR1NNR2CXCl (I, RR1N = morpholino, NMe2, R2 = Me, X = O, S) led to S-substitution products II. Only II (X = O) were thermally rearranged to N-carbazoyl derivs. Thiazoles III (X = O, S; RR1N
= morpholino, piperidino, NMe2, PhCHN; R2 = Me, Ph) were obtained from I and 5-methylenethiazolidine-2-thione. Thiazolidine-2,4-dione only yields N-substitution products.

SUPPL. TERM: carbazoyl chloride thiazolidinethione thiazolidinedione; thiocarbazoyl chloride thiazolidinethione thiazolidinedione
INDEX TERM: 140652-64-8P
ROLE: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation)
(prepn. and isomerization of)
INDEX TERM: 30760-42-0P 132540-60-4P 132540-61-5P 140652-63-7P
140652-65-9P 140652-66-0P 140652-67-1P 140652-68-2P
140652-69-3P 140652-70-6P 140652-71-7P 140652-72-8P
140652-73-9P
ROLE: SPN (Synthetic preparation); PREP (Preparation)
(prepn. of)
INDEX TERM: 96-53-7, 2-Thiazolidinethione 2295-31-0,
2,4-Thiazolidinedione **52829-72-8**
ROLE: RCT (Reactant)
(reaction of, with carbazoyl and thiocarbazoyl chlorides)
INDEX TERM: 52185-41-8 132540-56-8 138019-95-1 138019-97-3
ROLE: RCT (Reactant)
(reaction of, with methylenethiazolidinethione)
INDEX TERM: 16420-13-6 38945-10-7 132540-53-5 132540-62-6
140652-77-3
ROLE: RCT (Reactant)
(reaction of, with thiazolidines)

L6 ANSWER 6 OF 8 CAPLUS COPYRIGHT 1999 ACS
ACCESSION NUMBER: 1991:632155 CAPLUS
DOCUMENT NUMBER: 115:232155
TITLE: Investigations of 1,3-thiazines. 44. Novel rearrangement of 3,3'-carbonylbis(tetrahydro-2H-1,3-thiazine-3-thione) and 3,3'-carbonylbis(2-thiazolidinethione)
AUTHOR(S): Hanefeld, Wolfgang; Von Goesseln, Hans Joachim
CORPORATE SOURCE: Inst. Pharm. Chem., Univ. Marburg, Marburg, D-3550, Fed. Rep. Ger.

SOURCE: Liebigs Ann. Chem. (1991), (10), 1095-7
CODEN: LACHDL; ISSN: 0170-2041
DOCUMENT TYPE: Journal
LANGUAGE: German
CLASSIFICATION: 28-14 (Heterocyclic Compounds (More Than One Hetero Atom))
OTHER SOURCE(S): CASREACT 115:232155
GRAPHIC IMAGE:



II

ABSTRACT:
2-Thioxo-1,3-thiazine and -thiazolidine derivs. react with phosgene yielding N,N'-carbonylbis(heterocycles) [RSC(S)NR1]2CO [RR1 = (CH2)3, CH2CH2, C(:CH2)CH2, CH2CHMe]. With excess of phosgen I [RR1 = (CH2)3, CH2CH2] gave a novel rearrangement to the 3,5-bis(.omega.-chloroalkyl)-2,6-dithioxoperhydro-1,3,5-thiadiazine-4-ones II (n = 3, 2).

SUPPL. TERM: rearrangement carbonylbisthiazinethione carbonylthiazolidinethione; thiazinethione carbonylbistetrahydro rearrangement; thiazolidinethione carbonylbis rearrangement; thiadiazinone chloroalkyldithioxo
INDEX TERM: Rearrangement
(of carbonylbis(thiazolidinethione) and -bis(tetrahydrothiazinethione))
INDEX TERM: 135646-87-6P
ROLE: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation)
(prepn. and reaction of, with phosgene)
INDEX TERM: 135646-80-9P 135646-84-3P
ROLE: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation)
(prepn. and rearrangement of)
INDEX TERM: 63910-14-5P 135646-79-6P 135646-81-0P 135646-82-1P 135646-83-2P 135646-85-4P 135646-86-5P 135646-88-7P 135646-89-8P
ROLE: SPN (Synthetic preparation); PREP (Preparation)
(prepn. of)
INDEX TERM: 109-01-3, N-Methylpiperazine 110-91-8, Morpholine, reactions
ROLE: RCT (Reactant)
(reaction of, with carbonylbis(tetrahydrothiazinethione))
INDEX TERM: 96-53-7, 2-Thiazolidinethione 1437-89-4, 4-Methyl-2-thiazolidinethione 5554-48-3 **52829-72-8**
ROLE: RCT (Reactant)
(reaction of, with phosgene)

L6 ANSWER 7 OF 8 CAPLUS COPYRIGHT 1999 ACS
ACCESSION NUMBER: 1985:166653 CAPLUS
DOCUMENT NUMBER: 102:166653
TITLE: Alkylation, acylation, and carbamoylation products of 5-methylene-1,3-thiazolidine-2-thione
AUTHOR(S): Hanefeld, Wolfgang; Bercin, Erdogan
CORPORATE SOURCE: Inst. Pharm. Chem., Univ. Marburg, Marburg, D-3550, Fed. Rep. Ger.

SOURCE: Liebigs Ann. Chem. (1985), (1), 58-64
CODEN: LACHDL; ISSN: 0170-2041
DOCUMENT TYPE: Journal
LANGUAGE: German
CLASSIFICATION: 28-7 (Heterocyclic Compounds (More Than One Hetero Atom))
OTHER SOURCE(S): CASREACT 102:166653
GRAPHIC IMAGE:



I


II


III

ABSTRACT:
Contrary to earlier reports, HC.tplbond.CCH2NH2 and CS2 gave 5-methylene-1,3-thiazolidine-2-thione (I), which was alkylated in the 5-position with NaH and MeI, CH2:CHCH2I, and PhCH2Br and acylated with, e.g., AcCl, BzCl, and Me2NCOCl to give, e.g., the derivs. II and III.

SUPPL. TERM: cycloaddn carbon disulfide propargylamine; methylenethiazolidinethione acylation alkylation; thiazolidinethione methylene acylation alkylation

INDEX TERM: Cycloaddition reaction
(of carbon disulfide with propargylamine)

INDEX TERM: Acylation
Alkylation
(of methylenethiazolidinethione)

INDEX TERM: 79-44-7 83-01-2 88-11-9 111-50-2 16420-13-6
ROLE: RCT (Reactant)
(acylation with, of methylenethiazolidinethione)

INDEX TERM: 556-56-9
ROLE: RCT (Reactant)
(alkylation by, of methylenethiazolidinethione)

INDEX TERM: 95927-05-2P 95927-06-3P 95927-07-4P
ROLE: PREP (Preparation); RCT (Reactant)
(formation and elimination reaction of)

INDEX TERM: **52829-72-8P**
ROLE: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation)
(prepn. and reactions of)

INDEX TERM: 108-88-3P, preparation 15055-58-0P 17626-82-3P 21364-42-1P 95927-08-5P 95927-09-6P 95927-10-9P 95927-11-0P 95927-12-1P 95927-22-3P 95927-23-4P 95927-24-5P 95963-06-7P
ROLE: SPN (Synthetic preparation); PREP (Preparation)
(prepn. of)

INDEX TERM: 2450-71-7
ROLE: RCT (Reactant)
(reaction of, with carbon disulfide)

INDEX TERM: 75-15-0, reactions
ROLE: RCT (Reactant)
(reaction of, with propargylamine)

L6 ANSWER 8 OF 8 CAPLUS COPYRIGHT 1999 ACS
ACCESSION NUMBER: 1974:413439 CAPLUS
DOCUMENT NUMBER: 81:13439
TITLE: Utilization of propargylamine in heterocyclic synthesis. Preparation of oxazoles, thiazoles, and imidazoles
AUTHOR(S): Eloy, F.; Deryckere, A.
CORPORATE SOURCE: Cent. Etud. Ind. Pharm., Castaigne S. A., Toulouse,

Fr.
SOURCE: Chim. Ther. (1973), 8(4), 437-46
CODEN: CHTPBA
DOCUMENT TYPE: Journal
LANGUAGE: French
CLASSIFICATION: 28-10 (Heterocyclic Compounds (More Than One Hetero Atom))
GRAPHIC IMAGE: For diagram(s), see printed CA Issue.
ABSTRACT:
The oxazole, imidazole, and thiazole ring systems were synthesized from HC.tplbond.CCH2NH2. Thus, 5-methyloxazoles I (R = 2,4-Cl2-C6H3, 4-O2NC6H4, 2-O2NC6H4, 2-H2NC6H4, Ph2CH, 3-pyridyl) were obtained by cyclizing RCONHCH2C.tplbond.CH with Hg(OAc)2 or H2SO4. The imidazolinones II (R = Me, Et, Pr, CMe3, Ph) were obtained by cyclizing RNHCONHCH2C.tplbond.CH which were prepd. from HC.tplbond.CCH2NH2 and RNCO. I (R = NEt2, NPr2, NEtPh) were obtained by cyclizing RCONHCH2C.tplbond.CH which were prepd. from HC.tplbond.CCH2NH2 and RCOCl. The thiazoles III (R = Me, Et, CHMe2, allyl, Ph)
were prepd. from HC.tplbond.-CCH2NCS and RNH2 or from HC.tplbond.CCH2NH2 and RNCS.

SUPPL. TERM: oxazole; imidazolinone; thiazoline; propargylamine isocyanate; cyclization propargylamide propargylurea

INDEX TERM: Ring closure and formation
(of propargylamine derivs.)

INDEX TERM: 13870-70-7
ROLE: RCT (Reactant)
(alkylation of)

INDEX TERM: 1464-98-8 18327-30-5 52829-66-0 52829-67-1
ROLE: RCT (Reactant)
(cyclization of)

INDEX TERM: 7458-03-9 14719-21-2
ROLE: RCT (Reactant)
(hydration of)

INDEX TERM: 4943-83-3P 5221-66-9P 5221-67-0P 24044-23-3P
43214-91-1P 52829-62-6P 52829-63-7P 52829-64-8P
52829-65-9P 52829-68-2P 52829-69-3P 52829-70-6P
52829-71-7P **52829-72-8P** 52829-73-9P
52829-74-0P 52829-75-1P 52829-76-2P 52829-77-3P
52829-78-4P 52829-79-5P 52829-80-8P 52829-81-9P
52829-82-0P 52829-84-2P 52829-85-3P 52829-86-4P
52829-87-5P 52829-88-6P 52829-89-7P 52829-90-0P
52829-91-1P 52829-92-2P 52829-93-3P 52829-94-4P
52829-95-5P 52829-96-6P 52963-36-7P 53007-15-1P
ROLE: SPN (Synthetic preparation); PREP (Preparation)
(prepn. of)

INDEX TERM: 54122-88-2
ROLE: RCT (Reactant)
(reaction of, with amines)

INDEX TERM: 75-31-0 100-61-8
ROLE: RCT (Reactant)
(reaction of, with propargyl isothiocyanate)

INDEX TERM: 57-06-7 88-10-8 103-72-0 109-90-0 118-48-9
542-85-8 556-61-6 610-14-0 624-83-9 627-36-1
1609-86-5 19009-39-3 33758-39-3
ROLE: RCT (Reactant)
(reaction of, with propargylamine)

INDEX TERM: 2450-71-7
ROLE: RCT (Reactant)
(reactions of)

INDEX TERM: 124-40-3, reactions
ROLE: RCT (Reactant)
(with propargyl isothiocyanate)

INDEX TERM: 75-15-0, reactions
ROLE: RCT (Reactant)

(with propargylamine)